

## EAST Search History

| Ref # | Hits | Search Query   | DBs   | Default Operator | Plurals | Time Stamp          |
|-------|------|--|---|------------------|---------|---------------------|
| L1    | 1    | ("20010037228").PN.  | US-PGPUB;<br>USPAT; USOCR   | OR               | OFF     | 2008/12/15<br>11:54 |
| L2    | 1    | 1 and (destination with dimension)                                   | US-PGPUB;<br>USPAT;<br>USOCR; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR               | ON      | 2008/12/15<br>11:55 |
| L3    | 0    | 1 and (destination with table)                                       | US-PGPUB;<br>USPAT;<br>USOCR; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR               | ON      | 2008/12/15<br>12:06 |
| L4    | 2    | (limit\$4 near4 access\$4 near4 data\$base) with (type near2 data)   | US-PGPUB;<br>USPAT;<br>USOCR; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR               | ON      | 2008/12/15<br>12:18 |
| L5    | 7033 | (707/102).CCLS.  | US-PGPUB;<br>USPAT; USOCR   | OR               | OFF     | 2008/12/15<br>12:45 |
| L8    | 309  | 5 and (( link\$4 or relat \$4) with dimension)                       | US-PGPUB;<br>USPAT;<br>USOCR; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR               | ON      | 2008/12/15<br>12:46 |
| S1    | 1    | ("20040186845").PN.  | US-PGPUB;<br>USPAT; USOCR   | OR               | OFF     | 2007/09/28<br>16:53 |
| S2    | 107  | (updat\$4 near2 (information or data)) same model same (meta \$data) | US-PGPUB;<br>USPAT;<br>USOCR; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR               | ON      | 2007/03/13<br>15:47 |
| S3    | 30   | S2 and dimension   | US-PGPUB;<br>USPAT;<br>USOCR; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR               | ON      | 2007/03/13<br>16:10 |
| S4    | 1    | ("6581068").PN.  | US-PGPUB;<br>USPAT; USOCR   | OR               | OFF     | 2007/03/13<br>16:13 |

|     |       |   |   |    |     |                     |
|-----|-------|---|---|----|-----|---------------------|
| S5  | 1     | ("6327574").PN.   | US-PGPUB;<br>USPAT; USOCR   | OR | OFF | 2007/03/13<br>16:17 |
| S6  | 245   | ((data\$1store or data<br>\$1base) same source<br>same target same meta<br>\$data)  | US-PGPUB;<br>USPAT;<br>USOCR; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | ON  | 2007/03/13<br>16:18 |
| S7  | 200   | S6 and (updat\$4)   | US-PGPUB;<br>USPAT;<br>USOCR; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | ON  | 2007/03/13<br>16:18 |
| S8  | 176   | S7 and link\$4  | US-PGPUB;<br>USPAT;<br>USOCR; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | ON  | 2007/03/13<br>16:45 |
| S9  | 1     | ("6820135").PN.   | US-PGPUB;<br>USPAT; USOCR   | OR | OFF | 2007/03/13<br>18:38 |
| S10 | 1     | ("20050076036").PN.   | US-PGPUB;<br>USPAT; USOCR   | OR | OFF | 2007/03/13<br>18:51 |
| S11 | 1     | ("20050149550").PN.   | US-PGPUB;<br>USPAT; USOCR   | OR | OFF | 2007/03/13<br>18:55 |
| S12 | 1     | ("6820135").PN.   | US-PGPUB;<br>USPAT; USOCR   | OR | OFF | 2007/03/13<br>18:55 |
| S13 | 11244 | (data\$base or data<br>\$store) and ((change<br>near3 ((controll\$4) or<br>policy or option)))                                    | US-PGPUB;<br>USPAT;<br>USOCR; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | ON  | 2007/09/26<br>12:04 |
| S14 | 162   | ((data\$base or data<br>\$store) with target) and<br>((change near3 ((controll<br>\$4) or policy or option)))<br>and (meta\$data) | US-PGPUB;<br>USPAT;<br>USOCR; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | ON  | 2007/09/26<br>12:05 |
| S15 | 161   | S14 and objects   | US-PGPUB;<br>USPAT;<br>USOCR; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | ON  | 2007/09/26<br>12:10 |
| S16 | 1     | ("6477536").PN.   | US-PGPUB;<br>USPAT; USOCR   | OR | OFF | 2007/09/27<br>08:47 |

|     |       |   |   |    |     |                     |
|-----|-------|---|---|----|-----|---------------------|
| S17 | 53    | ((updat\$ or modif\$5) near4 (control\$4 or manag\$4)) with meta \$data with (data\$store or data\$1base)   | US-PGPUB;<br>USPAT;<br>USOCR; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | ON  | 2007/09/27<br>08:58 |
| S18 | 1     | ("6411961").PN.   | US-PGPUB;<br>USPAT; USOCR   | OR | OFF | 2007/09/27<br>09:35 |
| S19 | 3     | (intermediate near3 (data \$store or data\$1base)) same (updat\$4 or alter\$4 or modif\$4) same meta \$data | US-PGPUB;<br>USPAT;<br>USOCR; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | ON  | 2007/09/27<br>09:43 |
| S20 | 1     | ("20050108271").PN.   | US-PGPUB;<br>USPAT; USOCR   | OR | OFF | 2007/09/27<br>12:02 |
| S21 | 1     | ("20050076036").PN.   | US-PGPUB;<br>USPAT; USOCR   | OR | OFF | 2007/09/27<br>12:02 |
| S22 | 1     | ("6981114").PN.   | US-PGPUB;<br>USPAT; USOCR   | OR | OFF | 2007/09/28<br>16:53 |
| S23 | 1     | ("20060136477").PN.   | US-PGPUB;<br>USPAT; USOCR   | OR | OFF | 2008/12/09<br>13:20 |
| S24 | 1     | ("20020065848").PN.   | US-PGPUB;<br>USPAT; USOCR   | OR | OFF | 2008/12/09<br>13:25 |
| S25 | 1     | ("20060136449").PN.   | US-PGPUB;<br>USPAT; USOCR   | OR | OFF | 2008/12/10<br>20:49 |
| S26 | 1     | ("20050039033").PN.   | US-PGPUB;<br>USPAT; USOCR   | OR | OFF | 2008/12/10<br>22:36 |
| S27 | 542   | (select\$4 near4 (plural or multiple) near4 (data \$1base or data\$1store))                                 | US-PGPUB;<br>USPAT;<br>USOCR; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | ON  | 2008/12/11<br>13:26 |
| S28 | 7     | S27 same ((cluster\$4 or aggregat\$4 or merg\$4) with (information or data))                                | US-PGPUB;<br>USPAT;<br>USOCR; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | ON  | 2008/12/11<br>13:27 |
| S29 | 11248 | ((cluster\$4 or aggregat \$4 or merg\$4) with (information or data)) with databases)                        | US-PGPUB;<br>USPAT;<br>USOCR; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | ON  | 2008/12/11<br>13:32 |

|     |      |  |   |    |     |                     |
|-----|------|--|---|----|-----|---------------------|
| S30 | 800  | ((cluster\$4 or aggregat\$4 or merg\$4) with (information or data)) with (multiple or plural) with databases)  | US-PGPUB;<br>USPAT;<br>USOCR; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | ON  | 2008/12/11<br>13:32 |
| S31 | 0    | ((cluster\$4 or aggregat\$4 or merg\$4) with (information or data)) with (multiple or plural) with databases with (physical near3 locations))                  | US-PGPUB;<br>USPAT;<br>USOCR; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | ON  | 2008/12/11<br>13:34 |
| S32 | 1    | ((cluster\$4 or aggregat\$4 or merg\$4) with (information or data)) with (multiple or plural) with databases) same ((physical near3 locations) with databases) | US-PGPUB;<br>USPAT;<br>USOCR; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | ON  | 2008/12/11<br>13:35 |
| S33 | 0    | (list\$4 near3 content) with ((multiple or plural or few) near2 (data \$bases or data\$1stores))   | US-PGPUB;<br>USPAT;<br>USOCR; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | ON  | 2008/12/11<br>13:39 |
| S34 | 0    | (list\$4 near3 content) near25 ((multiple or plural or few) near2 (data \$bases or data\$1stores))   | US-PGPUB;<br>USPAT;<br>USOCR; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | ON  | 2008/12/11<br>13:39 |
| S35 | 280  | ((retriev\$4 or select\$4) near4 (content or data or information)) with ((multiple or plural or few) near2 (data\$bases or data\$1stores))                     | US-PGPUB;<br>USPAT;<br>USOCR; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | ON  | 2008/12/11<br>13:41 |
| S36 | 1    | ("20050050392").PN.  | US-PGPUB;<br>USPAT; USOCR   | OR | OFF | 2008/12/11<br>15:50 |
| S37 | 2140 | synchroniz\$4 near4 (data \$bases or data\$1source)  | US-PGPUB;<br>USPAT;<br>USOCR; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | ON  | 2008/12/12<br>11:38 |

|     |      |  |   |    |     |                     |
|-----|------|--|---|----|-----|---------------------|
| S38 | 6    | S37 with (meta\$1data)   | US-PGPUB;<br>USPAT;<br>USOCR; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | ON  | 2008/12/12<br>11:38 |
| S39 | 1    | ("20050108271").PN.  | US-PGPUB;<br>USPAT; USOCR   | OR | OFF | 2008/12/12<br>11:39 |
| S40 | 0    | ((synchroniz\$4 near4<br>(data\$bases or data<br>\$1source)) with query)<br>same meta\$data                        | US-PGPUB;<br>USPAT;<br>USOCR; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | ON  | 2008/12/12<br>12:01 |
| S41 | 0    | ((synchroniz\$4 near4<br>(data\$bases or data<br>\$1source))) same query<br>same meta\$data                        | US-PGPUB;<br>USPAT;<br>USOCR; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | ON  | 2008/12/12<br>12:01 |
| S42 | 13   | ((synchroniz\$4 or updat<br>\$4) near4 (data\$bases or<br>data\$1source))) same<br>query same meta\$data           | US-PGPUB;<br>USPAT;<br>USOCR; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | ON  | 2008/12/12<br>12:03 |
| S43 | 59   | ((synchroniz\$4 or updat<br>\$4) near4 (data\$bases or<br>data\$1source or data<br>\$1store))) with meta<br>\$data | US-PGPUB;<br>USPAT;<br>USOCR; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | ON  | 2008/12/12<br>12:13 |
| S44 | 54   | S43 not S42  | US-PGPUB;<br>USPAT;<br>USOCR; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | ON  | 2008/12/12<br>12:13 |
| S45 | 1    | ("20050149550").PN.  | US-PGPUB;<br>USPAT; USOCR   | OR | OFF | 2008/12/12<br>12:46 |
| S46 | 6571 | (update near4 (log or<br>registry))  | US-PGPUB;<br>USPAT;<br>USOCR; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | ON  | 2008/12/12<br>14:41 |
| S47 | 6    | S46 with (query near2<br>response)   | US-PGPUB;<br>USPAT;<br>USOCR; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | ON  | 2008/12/12<br>14:41 |

|     |       |   |   |    |    |                     |
|-----|-------|---|---|----|----|---------------------|
| S48 | 107   | S46 with (query)  | US-PGPUB;<br>USPAT;<br>USOCR; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2008/12/12<br>14:44 |
| S49 | 1261  | (updat\$4 near4 (data<br>\$1base or data\$store))<br>near4 (log or registry)  | US-PGPUB;<br>USPAT;<br>USOCR; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2008/12/12<br>15:17 |
| S50 | 16    | S49 same meta\$1data  | US-PGPUB;<br>USPAT;<br>USOCR; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2008/12/12<br>15:18 |
| S51 | 529   | (synchroniz\$4 near4<br>(data\$1base or data<br>\$store)) same (log\$4 or<br>registry)                                | US-PGPUB;<br>USPAT;<br>USOCR; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2008/12/12<br>15:20 |
| S52 | 90    | (synchroniz\$4 near4<br>(data\$1base or data<br>\$store)) same ((log\$4 or<br>registry) with (Actions or<br>updates)) | US-PGPUB;<br>USPAT;<br>USOCR; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2008/12/12<br>15:20 |
| S53 | 0     | S52 and ((LRU) or (least<br>adj recently adj used))   | US-PGPUB;<br>USPAT;<br>USOCR; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2008/12/12<br>15:27 |
| S54 | 11840 | ((LRU) or (least adj<br>recently adj used))   | US-PGPUB;<br>USPAT;<br>USOCR; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2008/12/12<br>15:27 |
| S55 | 3268  | ((LRU) or (least adj<br>recently adj used)) near3<br>cache  | US-PGPUB;<br>USPAT;<br>USOCR; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2008/12/12<br>15:27 |

|     |    |                            |   |    |     |                     |
|-----|----|----------------------------|---|----|-----|---------------------|
| S56 | 43 | S55 same (log or registry) | US-PGPUB;<br>USPAT;<br>USOCR; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | ON  | 2008/12/12<br>15:27 |
| S57 | 1  | ("20010037228").PN.        | US-PGPUB;<br>USPAT; USOCR   | OR | OFF | 2008/12/12<br>15:52 |
| S58 | 1  | ("20060282414").PN.        | US-PGPUB;<br>USPAT; USOCR   | OR | OFF | 2008/12/13<br>21:50 |

12/15/2008 1:23:15 PM

C:\Documents and Settings\alie\My Documents\EAST\Workspaces\10750205A.wsp